

Supplement of Solid Earth, 8, 1003–1016, 2017
<https://doi.org/10.5194/se-8-1003-2017-supplement>
© Author(s) 2017. This work is distributed under
the Creative Commons Attribution 3.0 License.



Supplement of

Physical soil quality indicators for monitoring British soils

Ron Corstanje et al.

Correspondence to: Theresa G. Mercer (t.mercer@cranfield.ac.uk)

The copyright of individual parts of the supplement might differ from the CC BY 3.0 License.

Supplement Table S1. Collated list of potential physical indicators of soil quality considered in the ranking exercise, with associated sub-categories and indicator numbers. Adapted from Rickson et al. (2012).

Physical SQI	Sub-category	Indicator
Direct measurements		
Bulk density (BD)	Kopecki ring	IND1
Bulk density	On-line sensor fusion	IND2
Bulk density	FDR and VIS-NIR spectroscopy	IND3
Packing density	Visual and BD + clay content	IND4
Total porosity	BD and particle density	IND5
Macroporosity	Tension table	IND6
Soil structure	Visual	IND7
Integrated air capacity to 1 m depth	Vol of pores that drain under gravity	IND8
Aggregate stability	Water droplet test	IND9
Dispersion ratio (DR), Water dispersible clay	No definitive method	IND10
Rate of erosion	t ha ⁻¹ y ⁻¹ ; field, aerial surveys	IND11
Sealing (due to construction and urban development)	Remote sensing	IND12
Disruption/removal	Remote sensing	IND13
Moisture storage capacity, water holding capacity and soil water retention characteristics	Modified moisture release curve	IND14
Available water content	Moisture release curve	IND15
Readily available water content Water held between 0.05 and 2 bar pressure.	Moisture release curve	IND16
Water content	SAR	IND17
Water content	ER	IND18
Water content	EMI	IND19
Soil texture (particle size distribution)	Wet sieving and sedimentation	IND20
Soil texture	VNIRS	IND21
Infiltration/drainage capacity	Permeameter	IND22
Saturated hydraulic conductivity	Permeameter	IND23
Time to ponding	Rainfall intensity	IND24
Sorptivity	Model of infiltration	IND25
Soil temperature	Probe	IND26
Soil temperature	Remote sensing	IND27
Depth of soil	Visual	IND28
Penetration resistance	Penetrometer	IND29
Penetration resistance	Going stick	IND30
Shear strength	Shear box	IND31
Shear strength	Going stick	IND32
Top soil plastic limit to a depth of 1 m	Rolling and moulding	IND33
Number of locations with erosion features	Remote sensing	IND34
Erodibility / aggregate stability	Rainfall	IND35
Capping (due to rainfall impact and slaking)	% area affected	IND36
Rutting and poaching, topsoil surface conditions	Visual	IND37
Profile description/Visual soil evaluation –	Visual	IND38
Indirect measurements		
Catchment hydrograph	Hydrograph	IND39
Surface water turbidity, suspended sediment load, sediment fingerprinting	Fingerprinting	IND40
Biological status of rivers with and without sewage treatment works	WFD status	IND41
Number of eutrophication incidents per year	Phosphorous	IND42

Supplement Table S2. Pertinence of physical soil quality indicators to the ‘Soil Functions Category’ of the logical sieve, with scoring system. Adapted from the Millennium Ecosystem Assessment (2005).

Soil function	Score
<p>Provisioning (P) food(including seafood and game), crops, wild foods and spices fibre and fuel genetic resources volume and quality of water (domestic, industrial, agricultural use) pharmaceuticals, biochemicals, and industrial products energy (hydropower, biomass fuels)</p> <p>Regulation (R) climate regulation water regulation water purification/detoxification air purification/detoxification of waste carbon sequestration waste decomposition, bioremediation and detoxification crop pollination pest and disease control</p> <p>Cultural (C) spiritual and religious value inspiration for art, folklore, architecture etc social relations aesthetic values cultural heritage cultural, intellectual and spiritual inspiration recreational experiences (including ecotourism) scientific discovery</p> <p>Support (S) soil formation and retention nutrient cycling primary production water cycling provision of habitat nutrient dispersal and cycling seed dispersal</p>	<p>0 = Not pertinent 1 = Poor 2 = Pertinent 3 = Highly pertinent</p>

Supplement Table S3. Pertinence of physical soil quality indicators to the ‘Land Use Category’ of the logical sieve, with scoring system. Adapted from CEH (2007).

Land use	Score
Arable & horticultural (A) Improved grassland (IG) Unimproved/rough grassland (UG) Woodland/forestry (W) Moorland (M) Bare ground (BG) Urban (U)	0 = Not pertinent 1 = Pertinent

Supplement Table S4. Pertinence of physical soil quality indicators to the ‘Soil Degradation’ of the logical sieve, with scoring system. Adapted from European Commission (European Commission, 2006, Table 4).

Degradation process	Score
Erosion (E)	0 = Not pertinent
Compaction (Co)	1 = Low
Sealing of surface due to construction (S)	2 = Pertinent
Diffuse soil contamination (DC)	3 = Highly pertinent
Loss of organic matter (LOM)	
Loss of soil biodiversity (LOB)	

Supplement S5. Scoring values allocated to each of the challenge criteria used to evaluate physical soil quality indicators. Adapted from Merrington et al. (2006) and Huber et al. (2008).

Challenge criteria	Scores
<p>Relevance/significance (Sig): 1. The indicator must be relevant to the function of environmental interaction (in addition to other functions listed in Table 2 above) and it must be interpretable in quantitative terms as an indicator of soil quality and the temporal changes in soil quality. 2. Allied to this is the issue of clarity. It must be clear what interpretation can or cannot be placed on an indicator. 3. It may be useful to consider indicators as direct or indirect indicators of a soil function. Thus, a catchment hydrograph is an indirect indicator of rainfall interception and storage by soils, but changes in soil water storage following rainfall is a direct indicator.</p> <p>Measurability, sensitivity, discrimination and signal-to-noise ratio (Mes): Practicability of indicators depends on efforts needed for monitoring, data gathering and for indicator calculation. For wide application of the indicators the complexity as well as the effort and costs of data gathering and calculation of the indicator values should be acceptable for decision makers. This criterion is linked strongly with data availability. In order to be operational, indicators should be easily measurable and quantifiable.</p> <p>1. Soil properties are notoriously spatially variable: 50% is not unusual as the standard errors of the mean of many typical soil parameters. Against this, many soil parameters change only slowly with time. Thus long term monitoring must attempt to discriminate long term trends from “noisy” backgrounds. 2. In selecting indicators, we need to consider the probability of detecting significant changes over the sampling intervals, Thus, for example, if a parameter is likely to change by 5% between samplings, and the 95% confidence limits of the measured mean are equivalent to 50% of the mean, it will be many years before a significant change is detected. 3. This leads to the idea of the undetected change. Indicators should be evaluated against the time span over which significant changes will go undetected; and whether such changes, once detected, are already irreversible. Ideally the time over which a change is undetected is minimised. These aspects are easily determined using simple statistical procedures. 4. We should not adopt indicators which, because of significant variability (due either to actual spatial or temporal variability or to sampling and measurement errors), are unlikely to detect change over reasonable time intervals</p> <p>Practicability and analytical soundness (Sou): 1. How practicable is a potential indicator? Are there robust, proven methods for its measurement? Are such methods in the pipeline? Or will they need considerable development? In the latter case, there would need to very strong reasons to include an indicator which would require significant further development.. Where such reasons do exist, possibly because the indicator furnishes information unavailable in any other way, the project should suggest such further development. 3. The methodological approach to calculate the indicator has to be technically and scientifically sound, based on international standards and international consensus about its validity and its suitability for linkage to economic models, forecasting and information systems.</p> <p>Efficiency and cost (EC): 1. We should seek to maximise the use of automatic methods including sensors, remote sensing and automatic data retrieval. Potential indicators should be examined against the need to minimise cost and maximise efficiency. 2. Allied to this is the general consideration of cost. Potential indicators must be assessed against the likely cost of populating them over 5, 10 and 20 years.</p> <p>Integrative indicators (II): 1. Wherever possible we should be looking for integrative indicators. These are indicators which effectively integrate the information from a number of subsidiary indicators. One example is the catchment hydrograph, which reflects the average hydrology of the soils in the catchment. 2. However, integrative indicators should only be adopted where they can be interpreted in terms of one of the key soil functions. In the case of catchment hydrographs, for example, it is still difficult to extract quantitative information on soil hydrology from what is a very smeared picture.</p> <p>Policy Relevance (Rel):</p>	<p>0 = not relevant 1 = relevant 2 = very relevant</p> <p>1 = poor 2 = good 3 = very good</p> <p>0 = not practical 1 = practicable</p> <p>1 = high 2 = moderate 3 = low</p> <p>0 = no 1 = yes</p>

<p>Policy relevance of indicators is expressed by their thematic coincidence with key topics within the current European soil policy agenda. In order to be of value for policy decision-making, key issues and indicators should be related to policy objectives for soil (in particular those in the EU Thematic Soil Strategy) and to environmental or other policy agendas where soil management is a central issue.</p> <p>Geographical coverage (Geo): Geographical coverage indicates the area where the indicator or the input parameters needed to calculate the indicator have already been monitored. For the selection of indicators special attention should be given to indicators already implemented, especially if the coverage across Europe is extensive. The advantage is a high applicability and most likely a high acceptance. But this should not hinder new developments, if another indicator is more suitable to illustrate the key issue.</p> <p>Availability of baseline and threshold data (Bas): This criterion indicates whether or not baseline and or threshold values have been established for the evaluated indicator. In order to have the possibility of relative comparison over time the availability of baseline and threshold data is important. Baselines and thresholds enable an assessment of a suitable use of soil and needs for effective measures to avoid a critical status of soil degradation. If no baseline or threshold values are available yet, their development should be possible with reasonable effort.</p> <p>Comprehensibility and clarity (Com): Comprehensibility describes the level of expert knowledge needed to understand the information on the situation of a soil threat provided by an indicator. The indicators should be generally understandable in order to facilitate communication of results provided by indicators to the public and political decision-makers. The final information should be clear and easy to interpret. Behind it, complex functions/models can be used, but those have to be combined in a logical and clear structure.</p>	<p>0 = not relevant 1 = relevant</p> <p>1 = poor 2 = good 3 = very good</p> <p>0 = not available 1 = available</p> <p>0 = incomprehensible 1 = weakly comprehensible 2 = comprehensible 3 = highly comprehensible</p>
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Supplement Methods S6. Methodology for weighting factors, scoring and ranking indicators Adapted from Ritz et al. (2009) and Rickson et al. (2012).

Weighting Factors

Each score for each SQI was given a weighting factor to allow for the priorities of different stakeholders to be emphasised. For example, if food production is the main issue, the provisioning function of the soil may be the most important consideration whereas cost or practicality may be the more important issue when commissioning and implementing a national soil monitoring programme.

Scoring

Each physical SQI was given an individual numerical score for each factor in all 4 Categories. A factor was left un-scored only if its relevance was unknown. The scoring values and aggregated values were designed so that higher scores relate to greater potential for an indicator to be applicable i.e the higher the score the more likely the physical SQI is to be relevant in a national soil monitoring scheme. The expert group from Rickson et al. (2012) was asked to provide a score value within the range listed for each factor. The experts only provided scores for physical SQIs within their area of expertise. When more than one expert provided a score for an indicator/factor, an arithmetic mean value was calculated and used in the final framework for ranking indicators.

The resultant scores were then collated and used to formulate a list of candidate physical indicators of soil quality. Two broad approaches were used in identifying the most promising SQIs:

- a) A simple ranking of cumulative (additive) scores (incorporating 0 scores, if any)
- b) A filtering function (or sieve) which states that if a SQI fails at any point to meet the requirements of a meaningful SQI (i.e. scores 0), then this SQI will be disqualified or will 'drop out' of the selection process.

Methodology to rank indicators

The resultant scores for each physical SQI were then transformed according to the following formulae:

Category 1: Soil functions

$$F_{EGS} = (X \times P) + (X \times R) + (X \times C) + (X \times S) \quad (1)$$

$$\text{Sieve} = \text{IF}(P \times R \times C \times S) > 0 \text{ return 1 otherwise return 0} \quad (2)$$

$$\text{Sieved } F_{EGS} = (1) \times (2) \quad (3)$$

Where F_{EGS} = cumulative score for factors relating to ecosystems goods and service; P = score for provisioning; R = score for Regulation; C = score for cultural; S = score for support; and X = weighting factor. Given the overall aim of the project is to identify physical SQIs that reflect all soil functions, the sieving process was set to remove all indicators that are unable to represent every soil function class. In other words, only those SQIs that reflect all soil functions are retained in equation (3). In reality, no indicators dropped out of the selection process at this stage.

Category 2: Land use

$$F_{ALU} = (X \times A) + (X \times IG) + (X \times UG) + (X \times W) + (X \times M) + (X \times BG) + (X \times U) \quad (4)$$

$$\text{Sieve} = \text{IF}(A \times IG \times UG \times W \times M \times BG \times U) > 0 \text{ return 1 otherwise return 0} \quad (5)$$

$$\text{Sieved } F_{ALU} = (4) \times (5) \quad (6)$$

Where F_{ALU} = cumulative score for applicability to land use; A = arable and horticultural; IG = improved grassland; UG = unimproved grassland; W = woodland and forestry; M = moorland; BG = bare ground; and U = urban. Equation 6 sieves all indicators and leaves only those in which all land use classes returned a >0 response.

Category 3: Soil degradation process

$$F_{SD} = (X \times E) + (X \times Co) + (X \times S) + (X \times DC) + (X \times LOM) + (X \times LOB) \quad (7)$$

$$\text{Sieve} = \text{IF}(E \times Co \times S \times DC \times LOM \times LOB) > 0 \text{ return 1 otherwise return 0} \quad (8)$$

$$\text{Sieved } F_{SD} = (7) \times (8) \quad (9)$$

Where F_{SD} = cumulative score for factors relating to soil degradation; E = erosion; Co = Compaction; S = sealing; DC = diffuse soil contamination; LOM = loss of organic matter; and LOB = loss of soil biodiversity. Equation 9 sieves all indicators and leaves only those in which every soil degradation process class returned a >0 response.

Category 4: Challenge criteria

$$F_{CC} = (X_{xSig}) + (X_{xMes}) + (X_{xSou}) + (X_{xEC}) + (X_{xII}) + (X_{xRel}) + (X_{xGeo}) + (X_{xBas}) + (X_{xCom}) \tag{10}$$

$$\text{Sieve} = \text{IF}(\text{Sig} \times \text{Mes} \times \text{Sou} \times \text{EC} \times \text{II} \times \text{Rel} \times \text{Geo} \times \text{Bas} \times \text{Com}) > 0 \text{ return 1 otherwise return 0} \tag{11}$$

$$\text{Sieved } F_{CC} = (10) \times (11) \tag{12}$$

Where F_{CC} = cumulative score for challenge criteria; Sig = Relevance /significance; Mes = Measurability, sensitivity, discrimination and signal-to-noise ratio; Sou = Practicability and analytical soundness; EC = Efficiency and cost; II = Integrative indicators; Rel = Policy relevance and management strategy; Geo = Geographical coverage; Bas = Availability of baseline and threshold data; and Com = Comprehensibility and Clarity. Equation 12 sieves all indicators and leaves only those in which every challenge criteria class returned a >0 response.

The resultant scores from each of the 4 Categories were subsequently used to assess the performance of each physical SQI. The assessment can be made for any of the 4 Categories individually, by ranking the total scores resulting from F_{EGS} , F_{ALU} , F_{SD} and F_{CC} or from the sieved values of F_{EGS} , F_{ALU} , F_{SD} and F_{CC} . Applicability of SQIs (F_A) across all 4 Categories combined was assessed by ranking the resultant values i.e.:

$$F_A = F_{EGS} \times F_{ALU} \times F_{SD} \times F_{CC} \tag{13}$$

The assessment of SQI applicability across all 4 Categories combined, using the ‘logical sieve’ (Sieved F_A) was calculated as:

$$\text{Sieved } F_A = \text{Sieved } F_{EGS} \times \text{Sieved } F_{ALU} \times \text{Sieved } F_{SD} \times \text{Sieved } F_{CC} \tag{14}$$

Ranked results of equation 14 provide a form of ‘integrated prioritisation’ that accommodates all information on each indicator.

The way the logical sieve has been applied to physical SQIs in the first instance has an implicit hierarchy in the 4 Categories used, i.e. functions relating to ecosystems goods and services (Category 1) take top priority, followed by land use (Category 2), soil degradation (Category 3) and challenge criteria (Category 4). This order is based on the current emphasis on the importance of soil functions.

Supplement Table S7. Example of logical sieve assessment (Physical SQI – Rate of erosion IND11)

Mean score values are based on the scoring values listed in SI 2-5. No weighting to the scores has been applied in this example (i.e. mean score is multiplied by 1).

Categories	Sub-categories	Mean score	Weighting (x)
1. Soil function	Provisioning (P)	3	1
	Regulation (R)	3	1
	Cultural (C)	3	1
	Support (S)	3	1
2. Land use	Arable & horticultural (A)	1	1
	Improved grassland (IG)	1	1
	Unimproved/rough grassland (UG)	1	1
	Woodland/forestry (W)	1	1
	Moorland (M)	1	1
	Bare ground (BG)	1	1
	Urban (U)	1	1
3. Soil Degradation	Erosion (E)	3	1
	Compaction (Co)	1.5	1
	Sealing of surface due to construction (S)	1.5	1
	Diffuse soil contamination (DC)	0	1
	Loss of organic matter (LOM)	2.5	1
	Loss of soil biodiversity (LOB)	2	1
4. Challenge criteria	Relevance/significance (Sig)	2	1
	Measurability, sensitivity, discrimination and signal-to-noise ratio (Mes)	2	1
	Practicability and analytical soundness (Sou)	1	1
	Efficiency and cost (EC)	2	1
	Integrative indicators (II)	1	1
	Policy Relevance (Rel)	1	1
	Geographical coverage (Geo)	2	1
	Availability of baseline and threshold data (Bas)	1	1
Comprehensibility and clarity (Com)	3	1	

Using information from S7, a cumulative value (F_A) and sieved cumulative value (Sieved F_A) were calculated for IND11, first for each Category and then for all Categories combined. A worked example of this calculation is shown below.

Category 1: Soil functions

$$\begin{aligned}
 F_{EGS} &= (X \times P) + (X \times R) + (X \times C) + (X \times S) \\
 &= (1 \times 3) + (1 \times 3) + (1 \times 3) + (1 \times 3) \\
 &= 12
 \end{aligned}
 \tag{1}$$

Where F_{EGS} = cumulative score for factors relating to ecosystems goods and service; P = score for provisioning; R = score for Regulation; C = score for cultural; S = score for support; and X = weighting factor.

The sieving process removes all indicators that are unable to represent every soil function class. In other words, the SQI will only qualify if all soil functions are scored.

$$\begin{aligned}
 \text{Sieve} &= \text{IF}(P \times R \times C \times S) > 0 \text{ return } 1 \text{ otherwise return } 0 \\
 &= 1
 \end{aligned}
 \tag{2}$$

$$\begin{aligned}
 \text{Sieved } F_{EGS} &= (\text{Eq. 1}) \times (\text{Eq. 2}) \\
 &= 12 \times 1 \\
 &= 12
 \end{aligned}
 \tag{3}$$

Category 2: Land use

$$\begin{aligned} F_{ALU} &= (XxA)+(XxIG)+(XxUG)+(XxW)+(XxM)+(XxBG)+(XxU) \\ &= (1 \times 1) + (1 \times 1) + (1 \times 1) + (1 \times 1) + (1 \times 1) + (1 \times 1) + (1 \times 1) \\ &= 7 \end{aligned} \quad (4)$$

Where F_{ALU} = cumulative score for applicability to land use; A = arable and horticultural; IG = improved grassland; UG = unimproved grassland; W = woodland and forestry; M = moorland; BG = bare ground; and U = urban.

The sieving process removes all indicators that are unable to represent every land use class. In other words, the SQI will only qualify if all land uses are scored.

$$\begin{aligned} \text{Sieve} &= \text{IF}(AxIGxUGxWxMxBGxU) > 0 \text{ return 1 otherwise return 0} \\ &= 1 \end{aligned} \quad (5)$$

$$\begin{aligned} \text{Sieved } F_{ALU} &= (\text{Eq. 4}) \times (\text{Eq. 5}) \\ &= 7 \times 1 \\ &= 7 \end{aligned} \quad (6)$$

Category 3: Soil degradation process

$$\begin{aligned} F_{SD} &= (XxE)+(XxCo)+(XxS)+(XxDC)+(XxLOM)+(XxLOB) \\ &= (1 \times 3) + (1 \times 1.5) + (1 \times 1.5) + (1 \times 0) + (1 \times 2.5) + (1 \times 2) \\ &= 10.5 \end{aligned} \quad (7)$$

Where F_{SD} = cumulative score for factors relating to soil degradation; E = erosion; Co = Compaction; S = sealing; DC = diffuse soil contamination; LOM = loss of organic matter; and LOB = loss of soil biodiversity.

The sieving process removes all indicators that are unable to represent every soil degradation process. In other words, the SQI will only qualify if all soil degradation processes are scored.

$$\begin{aligned} \text{Sieve} &= \text{IF}(ExCoxSxDCxLOMxLOB) > 0 \text{ return 1 otherwise return 0} \\ &= 0 \end{aligned} \quad (8)$$

$$\begin{aligned} \text{Sieved } F_{SD} &= (7) \times (8) \\ &= 10.5 \times 0 \\ &= 0 \end{aligned} \quad (9)$$

Category 4: Challenge criteria

$$\begin{aligned} F_{CC} &= (XxSig) + (XxMes) + (XxSou) + (XxEC) + (XxII) + (XxRel) + (XxGeo) + \\ &+ (XxBas) + (XxCom) \\ &= (1 \times 2) + (1 \times 2) + (1 \times 1) + (1 \times 2) + (1 \times 1) + (1 \times 1) + (1 \times 2) + (1 \times 1) + (1 \times 3) \\ &= 15 \end{aligned} \quad (10)$$

Where F_{CC} = cumulative score for challenge criteria; Sig = Relevance /significance; Mes = Measurability, sensitivity, discrimination and signal-to-noise ratio; Sou = Practicability and analytical soundness; EC = Efficiency and cost; II = Integrative indicators; Rel = Policy relevance and management strategy; Geo = Geographical coverage; Bas = Availability of baseline and threshold data; and Com = Comprehensibility and Clarity.

The sieving process removes all indicators that do not meet every challenge criteria class. In other words, the SQI will only qualify if all challenge criteria are given a >0 response.

$$\begin{aligned} \text{Sieve} &= \text{IF}(\text{Sig}x\text{Mes}x\text{Sou}x\text{EC}x\text{II}x\text{Rel}x\text{Geo}x\text{Bas}x\text{Com}) > 0 \text{ return 1 otherwise return 0} \\ &= 1 \end{aligned} \quad (11)$$

$$\text{Sieved } F_{CC} = (10) \times (11) \quad (12)$$

$$= 15 \times 1$$

$$= 15$$

Applicability of the SQI (F_A ; here rate of erosion) across all 4 Categories combined was assessed by multiplying the resultant values i.e.:

$$\begin{aligned} \text{SQI } F_A &= F_{\text{EGS}} \times F_{\text{ALU}} \times F_{\text{SD}} \times F_{\text{CC}} \\ &= 12 \times 7 \times 10.5 \times 15 \\ &= 13230 \end{aligned} \tag{13}$$

The (Sieved F_A for the SQI) was calculated as:

$$\begin{aligned} \text{Sieved } F_A &= \text{Sieved } F_{\text{EGS}} \times \text{Sieved } F_{\text{ALU}} \times \text{Sieved } F_{\text{SD}} \times \text{Sieved } F_{\text{CC}} \\ &= 12 \times 7 \times 0 \times 15 \\ &= 0 \end{aligned} \tag{14}$$

The cumulative score of 13230 ranks this indicator as one of the top cumulative scoring indicators (rank = 1). However, because the rate of erosion SQI scored 0 against diffuse soil contamination, this indicator is sieved out in Category 3 and the final sieved score (F_A) is 0.

Supplement Methods S8. Physical soil quality indicators scores in rank order (1 = highest rank), based on results across all 4 Categories (Soil Functions, Land Use, Degradation Processes, Challenge Criteria).

Key: S1 = Scenario 1. All values weighted to 1

S2 = Scenario 2. In Category 1 (Soil Functions), the provisioning function is weighted at 4 (most important) and regulation function is weighted at 3. All other factors in all other Categories are weighted at 1 (i.e. of equal importance).

S3 = Scenario 3. All data from all Categories are normalised using a weighting factor to account for different number of factors within each Category.

a = top 25% cumulative scores only; b = rankings of all SQIs that score >0 for all Categories.


Physical SQI	Sub-category	Indicator	S1		S2		S3	
			a	b	a	b	a	b
Bulk density	Kopecki ring	IND1		11		11		11
Bulk density	On-line sensor fusion	IND2						
Bulk density	FDR and VIS-NIR spectroscopy	IND3	4	3	6	4	4	3
Packing density		IND4		9		9		9
Total porosity		IND5		8		7		8
Macroporosity		IND6						
Soil structure		IND7	8		7		8	
Integrated air capacity to 1 m depth		IND8						
Aggregate stability		IND9						
Dispersion ratio (DR), Water dispersible clay		IND10						
Rate of erosion		IND11	1		1		1	
Sealing (due to construction and urban development)		IND12	9	5	9	5	9	5
Disruption/removal		IND13						
Moisture storage capacity, water holding capacity and soil water retention characteristics		IND14	10	6	10	6	10	6
Available water content		IND15						
Readily available water content Water held between 0.05 and 2 bar pressure.		IND16						
Water content	SAR	IND17						
Water content	ER	IND18						
Water content	EMI	IND19						
Soil texture (particle size distribution)	Wet sieving and sedimentation	IND20	7	4	4	3	7	4
Soil texture	VNIRS	IND21						
Infiltration/drainage capacity		IND22		10		10		10
Saturated hydraulic conductivity		IND23						
Time to ponding		IND24						
sorptivity		IND25						
Soil temperature	Probe	IND26						
Soil temperature	Remote sensing	IND27						

Depth of soil		IND28	3	2	3	2	3	2
Penetration resistance		IND29						
Penetration resistance	Going stick	IND30						
Shear strength		IND31						
Shear strength	Going stick	IND32	6		8		6	
Top soil plastic limit to a depth of 1 m		IND33						
Number of locations with erosion features		IND34	5		5		5	
Erodibility / aggregate stability		IND35		14		14		14
Capping (due to rainfall impact and slaking)		IND36						
Rutting and poaching, topsoil surface conditions		IND37						
Profile description/Visual soil evaluation –		IND38	2	1	2	1	2	1
Catchment hydrograph		IND39						
Surface water turbidity, suspended sediment load, sediment fingerprinting		IND40		7		8		7
Biological status of rivers with and without sewage treatment works		IND41		13		13		13
Number of eutrophication incidents per year		IND42		12		12		12

Supplement Methods S9. Geostatistical modelling technique. Adapted from Rickson et al. (2012).

A model-based approach was used to obtain an estimate of the SQI spatial variability. The geostatistical modelling was executed in R software and the variogram procedure was executed in the R library Gstat. Power analyses was used to determine the sample size needed to detect meaningful change in the priority SQIs. Statistical power is the probability that a specific difference will be detected at a specified level of confidence.

The influence of spatial scales on sample size was calculated using a model-based approach where the variation of different regions (size of spatial unit) was obtained from the variogram below.



Variogram of packing density (PD) obtained from data from NSI of England and Wales and ADAS (Newell Price *et al.*, 2012)

Supplement Methods S10. Methodology for determining pedotransfer functions. Adapted from Rickson et al. (2012).

Pedotransfer function 1:

Multilinear regression model:

$$Y = a + b_1X_1 + b_2X_2 + \dots + b_xX_x + E \quad (\text{Eq 1})$$

where Y is the dependent variable; a is a constant; b_i are coefficients; X_i are predictor variables; and E is an error term. To assess the predictive power of the model, a 10-fold cross validation was implemented using the DAAG package (Maindonald & Braun, 2011). The significant variables were chosen by a stepwise selection procedure using the stepAIC function of the MASS package in R (Venables & Ripley, 2002).

Pedotransfer function 2:

Multiple Additive Regression Splines:

A set spline basis functions are constructed (nonlinear functions) that are entirely determined from the regression data, and determines where they are applicable by automatically selecting appropriate knot values for different variables (in essence a multiple piecewise linear regression, where each breakpoint (or knot value) defines the "region of application" for a particular linear regression equation).

Variable importance in MARS fitting. Numbers refer to rankings of importance

	S_v	S_g	Drainable Porosity	Plant Available Water	Relative Field Capacity
BULKD	2	2	2	2	2
CLAY	3	2	2	2	1
SILT	0	1	0	2	2
SAND	1	2	2	2	2
ORGANIC_CARBON	1	2	1	3	1
LU_GROUP	0	0	0	0	0
SUBGROUP	1	1	4	1	3
SERIES	4	4	2	3	2

Supplement Methods S11. Methodology for determining soil water retention characteristics (index S, AC, PAWC and RFD) from the LandIS data base. Adapted from Rickson et al. (2012).

For each soil, the water retention function represented by the Van Genuchten equation (eq 1) was fitted to the data where θ is the moisture content, h is the pressure head, θ_{sat} is the saturated moisture content, θ_{res} (residual moisture content) α and n are fitting parameters and $m = 1 - 1/n$.

$$\theta = (\theta_{sat} - \theta_{res}) \left[1 + \left(\frac{1}{\alpha h} \right)^n \right]^{-m} + \theta_{res} \quad (\text{Eq 1})$$

The Dexter's S index was calculated with Eq 2, using the fitted parameters and converted into S_g using Eq. 3.

$$S = \left| n(\theta_{sat} - \theta_{res}) \left[1 + \frac{1}{m} \right]^{-(1+m)} \right| \quad (\text{Eq 2})$$

$$S_v = \rho_b S_g \quad (\text{Eq 3})$$

AC, PAWC and RFC indicators were calculated using:

θ_{sat} (saturated moisture content at 0m pressure head), estimated from the porosity

θ_{fc} (volumetric moisture content at field capacity), occurring at 0.5 or 1m pressure head

θ_{PWP} (moisture content at permanent wilting point), measured at 150m pressure head

It was not possible to calculate macroporosity (M) because measurements of the moisture content, θ_m (occurring at 0.1m pressure head) were not given.

References

CEH. 2007. Land Cover Map 2007.

European Commission. 2006. *Thematic Strategy for Soil Protection*.

Huber S, Prokop G, Arrouays D, Banko G, Bispo A, Jones RJA, Kibblewhite MG, Lexer W, Möller A, Rickson RJ, Shishkov T, Stephens M, Toth G, Van den Akker JJH, Varallyay G, Verheijen FGA, Jones AR. 2008. *Environmental Assessment of Soil for Monitoring: Volume I Indicators & Criteria*. EUR 23490 EN/1. Luxembourg

Merrington G, Fishwick S, Barraclough D, Morris J, Preedy N, Boucard T, Reeve M, Smith P, Fang C. 2006. *The development and use of soil quality indicators for assessing the role of soil in environmental interactions*. Environment Agency Science Report SC030265. Bristol, UK

Millennium Ecosystem Assessment. 2005. *A report of the Millennium Ecosystem Assessment*.

Newell Price JP, Chambers BJ, Whittingham MJ. 2012. *Characterisation of Soil Structural Degradation Under Grassland and Development of Measures to Ameliorate its Impact on Biodiversity and Other Soil Functions BD5001: Final report to Defra*.

Rickson R, Deeks L, Corstanje R, Newell-Price P, Kibblewhite M, Chambers B, Bellamy P, Holman I, James I, Jones R, Kechavarsi C, Mouazen A, Ritz K, Waine T. 2012. *Indicators of soil quality - physical properties (SP1611)*. Final Report to DEFRA.

Ritz K, Black HIJ, Campbell CD, Harris JA, Wood C. 2009. Selecting biological indicators for monitoring soils: A framework for balancing scientific and technical opinion to assist policy development. *Ecological Indicators* **9**: 1212–1221. DOI: 10.1016/j.ecolind.2009.02.009