

A Fuzzy Intelligent System for Land Consolidation - A Case Study in Shunde, China

Jinfeng Wang^{1, 2, 3, 4} Aixia Ge^{1, 5} Yueming Hu^{1, 2, 3, 4} Cheng Li^{2, 3, 6} Lu Wang^{1, 2, 3, 4}

[1]{College of Mathematics and Informatics, South China Agricultural University, Guangzhou, Guangdong, China}

[2]{Guangdong Province Key Laboratory of Land Use and Consolidation, Guangzhou, Guangdong, China}

[3]{Key Laboratory of the Ministry of Land and Resources for Construction Land Transformation, Guangzhou, Guangdong, China}

[4]{Field Science Base of the Ministry of Land and Resources for South China Land Consolidation, Guangzhou, Guangdong, China, 510642}

[5]{Foshan City Shunde District Decision Consultation and Policy Research Office, Shunde District, Foshan City}

[6]{Guangdong Youyuan Land Information Technology Co., Ltd, Guangzhou, Guangdong, China}

Correspondence to: Jinfeng Wang (wangphoenix@163.com)

Abstract

Traditionally, potential evaluation methods for farmland consolidation have depended mainly on the experts' experiences, statistical computations or subjective adjustments. Some biases usually exist in the results. Thus, computer-aided technology has become essential. In this study, an intelligent evaluation system based on a fuzzy decision tree was established, and this system can deal with numerical data, discrete data and symbolic data. When the original land data are input, the level of potential of the agricultural land for development will be output by this new model. The provision of objective proof for decision making by authorities in rural management is

28 helpful. Agricultural land data characteristically comprise large volumes, complex varieties and
29 more indexes. In land consolidation, it is very important to construct an effective index system.
30 ~~We~~ A group of indexes are needed to be selected a group of indexes which are useful for land
31 consolidation according to the concrete demand. In this paper, a ~~fuzzy measure~~ Fuzzy Measure,
32 which can describe the importance of a single feature or a group of features, is adopted to
33 accomplish the selection of specific features. A fuzzy integral that is based on a ~~fuzzy~~
34 ~~measure~~ Fuzzy Measure is a type of fusion tool. ~~We obtained the~~ The optimal solution was
35 obtained for ~~a fuzzy measure~~ Fuzzy Measure by solving a fuzzy integral. The fuzzy integrals can
36 be transformed to a set of linear equations. ~~We~~ The L1-norm regularization method is applied the
37 ~~L1-norm regularization method~~ to solve the linear equations, and ~~we found~~ a solution with the
38 fewest nonzero elements for Fuzzy Measure is found for the fuzzy measure; this solution shows
39 the contribution of corresponding features or the combinations of decisions. This algorithm
40 provides a quick and optimal way to identify the land index system when preparing to conduct
41 the research, such as ~~we describe herein, on~~ land consolidation.

42 Shunde's 'Three Old' project is a special project supported by the Government of
43 Guangdong Province in China. The 'Three Old' refers to old villages, old factories and old towns.
44 The aim of the 'Three Old' reformation is to encourage peasants to live in centralized residences
45 and empty large blocks of cultivated land for the development of large-scale agriculture.
46 ~~Shunde's~~ 'Three Old' consolidation project provides the data for this work. Our estimation
47 system was compared with a conventional evaluation system that is still accepted by the public.
48 Our results prove to be consistent, and the new model is more automatic and intelligent. The
49 results of this estimation system are significant for informing decision making in land
50 consolidation.

51

52 **1 Introduction**

53 Rural conditions which include environmental condition, ecological condition, living condition
54 and cultivated land condition have been destroyed in many countries of the world, and these
55 conditions may continue to worsen. Land consolidation (LC) is an effective instrument in rural
56 development. Land consolidation comprises two main components: land reallocation and
57 agrarian spatial planning. Land reallocation can be referred to as land readjustment, which

58 involves the rearrangement of ownership in terms of parcels (size, shape and location) and rights
59 (land exchange). Land reallocation is the core part of the land consolidation approach. Agrarian
60 spatial planning includes the provision of the necessary infrastructure such as roads, irrigation
61 systems, drainage systems, landscaping, environmental management, village renewal, and soil
62 conservation (Thomas, 2006). LC aims to increase land processing efficiency (Blaikie and
63 Sadeque, 2000; Niroula and Thapa 2007) and support rural development (Sklenicka, 2006). Thus,
64 LC is very important for rural development. How to proceed with land consolidation and how to
65 evaluate the potential of land for consolidation are crucial problems to be addressed by
66 authorities. The 'Three Old' project, which is underway in China, is the typical approach to
67 exploring farmland potential. This 'Three Old' reformation can help by returning the entire profit
68 obtained from selling farmland to the farmer. But, all money must be used for reformation of old
69 villages and construction of new villages. Farmers are encouraged to live in a centralized manner
70 in order to free up plenty of farmland to simultaneously achieve large-scale agriculture
71 management and village construction. Land consolidation is the key to the 'Three Old' project.

72 To date, many researchers have focused on the potential for evaluating world land use. The
73 Turkish Statistical Institute (TUIK, 2001) performed a general agricultural census in Turkey. LC
74 projects were developed depending totally on the experiences of those involved (Sonnenberg,
75 1996; Thomas, 2005; Thomas, 2006). A framework for the classification of Peatland Disturbance
76 was proposed (Connolly and Holden, 2013). This model is still subjective. Some scholars
77 proposed statistical method for classifying lands. Quantitative change detection methods was
78 adopted for classifying land cover conversions in the eastern Mediterranean coastal wetlands of
79 Turkey (Alphan, 2012). The multivariate statistical approaches was used ~~for to~~ determine
80 determine the criteria of grassland degradation, ~~and~~ ~~h~~ Hierarchical classification highlights
81 highlighted two broad classes in the Sanjiangyuan region (Li et al., 2012). Intelligent systems can
82 interpret the professional result and enhance the cognitive performance of decision makers. A
83 fuzzy expert system was proposed for analyzing and solving uncertainty in farmland data
84 (Tayfun and Fatih, 2011). Unsupervised classification of the agricultural area of South Australia
85 was used for severity levels of salt-affected soil based on SATELLITE IMAGERY (Setia et al.,
86 2013). A Spatial Decision Support System (SDSS)-based land reallocation model was developed
87 to reallocate newly created regular-size parcels to landowners in land-consolidation projects
88 (Tayfun and Fatih, 2011). A combined set of digital soil mapping ~~iterative principal component~~

89 | ~~analysis_~~ and sampling design techniques ~~conditioned Latin hypercube sampling_~~ was used to
90 | quantify and predict the spatial distribution of soil properties in southern Arizona, USA (Holleran
91 | et al., 2015). The models are constructed using computer technology, which is faster and more
92 | trustworthy. Still, the results are not intuitive or natural. In this paper, a fuzzy decision tree
93 | system for LC is proposed. The characteristics of the decision tree include strong interpretability,
94 | high accuracy and rapid implementation, thereby surpassing traditional models.

95 | In agricultural land consolidation, the land index system is important for farmland
96 | evaluation. Therefore, the selection of land indexes affects evaluations and decisions. Currently,
97 | many researchers have focused on the optimization and selection of a land index system. T.L.
98 | Saaty proposed an index-selection method based on an analytic hierarchy process with weights
99 | (Saaty and Peniwati, 2008). He proposed the least square method (LSM) and the least logarithm
100 | square method (LLSM) for confirming the previous weights (Saaty, 2010). However, land
101 | indexes are multiple and very complicated. These indexes may be related to society, economics
102 | and ecology. For example, a functional classification index (FCI_i) for rangelands combines the
103 | productive value (GP_i), ecological services value (GE_i), ecological sensitivity (ESI_i) and
104 | seasonal grazing importance (SGI_i) (Liu et al., 2011). Traditionally, a land index system was
105 | constructed according to the experiences of the experts. Due to human factors, however, these
106 | evaluations lost objectivity and consistency. Obtaining a set of accurate weights in the analytic
107 | hierarchy process is too difficult. The study of soils requires an interdisciplinary
108 | approach (Brevik et al., 2015).

109 | In this article, a new method based on a computational tool - the ~~fuzzy measure~~ Fuzzy
110 | Measure - is proposed for land index selection. This method avoids the human effect and
111 | confirms the final index system objectively. A ~~fuzzy measure~~ Fuzzy Measure can describe the
112 | importance of the single index and the combination of indexes for decision making (Sugeno,
113 | 1974). ~~We can obtain a~~ A fuzzy measure Fuzzy Measure with sparse values can be obtained by
114 | using the L1-Norm method (Hastie et al., 2001). Those indexes with non-zero ~~fuzzy~~
115 | ~~measure~~ Fuzzy Measures are kept in the final index system. Based on the new index system, a
116 | Fuzzy Decision Tree model will be constructed to finish the evaluation of land level for
117 | consolidation.

118 The ‘Three Old’ reconstruction project in the Shunde District of Guangdong Province in
119 China was taken as the study case. The ‘Three Old’ refers to old villages, old factories and old
120 towns. The aim of the ‘Three Old’ reformation is to encourage peasants to live in centralized
121 residences and empty large blocks of cultivated land for the development of large-scale
122 agriculture. Therefore, the ‘Three Old’ project mainly is focused on the reconstruction of old
123 villages. Our model is proposed for evaluating the development potential of those reconstructed
124 villages and to provide support for decision making in agricultural development.

125 ~~In this paper,~~ The whole article is arranged as follows. The introduction has been given in
126 ~~sectionsect.~~ 1. ~~SectionSect.~~ 2 shows the background and the data drawn from Shunde’s ‘Three
127 Old’ project. The next ~~sectionsect.~~ presents the preliminaries, definitions, and the new system.
128 The results and analysis are shown in ~~sectionsect.~~ 4. Summaries and policy advice are provided
129 in ~~sectionsect.~~ 5.

130 **2 Materials and Data description**

131 ~~For this study, we took the ‘Three Old’ reconstruction project in the Shunde District of~~
132 ~~Guangdong Province in China as the study case. The ‘Three Old’ refers to old villages, old~~
133 ~~factories and old towns. The aim of the ‘Three Old’ reformation is to encourage peasants to live~~
134 ~~in centralized residences and empty large blocks of cultivated land for the development of large-~~
135 ~~scale agriculture. Therefore, the ‘Three Old’ project mainly is focused on the reconstruction of~~
136 ~~old villages. Our model is proposed for evaluating the development potential of those~~
137 ~~reconstructed villages and to provide support for decision making in agricultural development.~~

138 Shunde is the pioneer in economic reformation in Guangdong. Its development from an
139 agricultural city to an industrial district spanned 10 years. Shunde is located in southern
140 Guangdong and in the middle of the ZhuJiang River Triangle plain, which extends east to Panyu;
141 north to Foshan; and is contiguous with Shenzhen, Hongkong and Macau. The special
142 geographical location, as shown in ~~figurefig.~~ 1, dictates the degree of reformation. In this rapidly
143 developing economy, a large amount of cultivated land resources have been destroyed. This
144 extensive pattern of land use is difficult to sustain. The
145 contradiction between supply and demand of cultivated land resources is increasingly becoming
146 acute. These factors restrict rural sustainable development. Thus, the government proposed the
147 ‘Three Old’ consolidation project to strengthen the management of land with construction and to

148 encourage saving land for use in intensive agriculture. The evaluation model can be popularized
149 to these areas, each of which is faced with the same problems, such as destroyed land and
150 contradiction between supply and demand.-

151 2.1 Pre-process Data

152 The potential evaluation of ‘Three Old’ land consolidation is mainly focused on those land
153 blocks that contain plots and buildings. There are a total of 477 subprojects, of which, 23
154 subprojects with 5050.86 acres have been completed, 22 are currently being reconstructed, and
155 432 with 67,134.35 acres have not been started as shown in Table 1. This project is characterized
156 by large areas of land and a large quantity, a wide range and a concentrated distribution of
157 subprojects. The total area reaches to 77,299.77 acres, which is 16.73% of the land with
158 construction in cities and towns. The ratios of each type of the ‘Three Old’ lands are shown in
159 FigureFigs. 2 and Figure-3.

160 In this project, the evaluation targets are characterized by multiple features. It is
161 necessary to normalize all feature values to cancel the influence of these variables and values.
162 One general method is 0-1 normalization, which scales the feature by bring all values into the
163 range [0,1]. It is also called unity-based normalization.

164 Let X_{max_j} indicates the maximum value and X_{min_j} indicates the minimum value for the j^{th}
165 feature of the i^{th} case. The normalization for each variable can be computed according to the
166 following equations.

167 For the active index: $S_{ij} = \frac{X_{ij} - \min X_{ij}}{\max X_{ij} - \min X_{ij}}$; For the negative index: $S_{ij} = \frac{\max X_{ij} - X_{ij}}{\max X_{ij} - \min X_{ij}}$

168
169 According to the previous formula, the range of X' is between 0 and 1. The distribution of each
170 X' is the same as that of the original value of X . The advantage of 0-1 normalization is that the
171 best situation is always 1 and the worst one is always 0, whether the value is negative or active.
172 However, this process disregards the differences among the features’ values, which means the
173 relationship among features cannot be determined. However, the 0-1 normalization is still the
174 simplest method.

175 2.2 Land index system

176 In this study, we began ~~our~~the investigation by collecting materials about land indexes, land
177 levels, finished or not and so on, using spatial image recognition, conducting field investigations,
178 and assessing results of a questionnaire for the land potential evaluation. All factors, including
179 the land-use state, and economic, social, ecological, environmental and policy factors have been
180 considered. The results will be summarized and analyzed so that the entire contribution of the
181 ‘Three Old’ project can be precisely acknowledged. All indexes being considered are described
182 in ~~table~~Table 2.

183 ~~We applied a~~A new model was applied to the Shunde data to determine the index system,
184 which is important to the study. Several classical evaluation models were adopted for testing the
185 feature selection results. However, the current number of indexes of the “Three Old” data is too
186 large for ~~use with a~~computing fuzzy integral. It takes very long time to acquire the ~~fuzzy~~
187 ~~measure~~Fuzzy Measure. Therefore, feature selection is a necessary step. Based on previous
188 research, reduction in ~~rough sets~~Rough Sets (Pawlak, 1982; 1991) is the most effective way to
189 process the data before selecting the indexes and evaluating potential.

190 3 Evaluation Method and Model

191 In land consolidation, we must deal with data collected by humans from many locations. These
192 data may be uncertain and noisy. It is necessary to adopt an objective tool to solve the problem
193 of subjectivity. Thus, a fuzzy decision tree was chosen for use in this study. Fuzzy logic was
194 proposed by Zadeh(1965), and this technique can describe and handle vague and ambiguous data.
195 Fuzzy logic is a form of many-valued logic; it deals with reasoning that is approximate rather
196 than fixed and exact. Compared to traditional binary sets (where variables may take on true or
197 false values) fuzzy logic variables may have a true value that ranges in degree from 0 to 1. Fuzzy
198 logic has been extended to handle the concept of partial truth, where the true value may range
199 between completely true and completely false. Furthermore, when linguistic variables are used,
200 these degrees may be managed by specific functions. Irrationality can be described in terms of
201 what is known as the fuzzjective. Fuzzy logic has been applied to many fields, from control
202 theory to artificial intelligence.

203 3.1 Fuzzy set theory

204 Fuzzy set theory is primarily concerned with quantifying and reasoning by using natural
205 language in which words can have ambiguous meanings. This can be thought of as an extension
206 of traditional crisp sets, in which each element must either be in or not in a set. Fuzzy sets are
207 defined on a non-fuzzy universe of discourse, which is an ordinary set (Wang and Lee, 2006). A
208 fuzzy set is characterized by a membership function $\mu_F(x)$, which assigns a membership degree
209 $\mu_F(x) \in [0,1]$ to every element. When $\mu_A(x) > 0$, an element $x \in U$ will be in a fuzzy set F . That
210 is, $\mu_F(x) = 1$ represents a full member (Zimmermann, 1991). Membership functions can either be
211 chosen based on the user's experience or by using optimization procedures (Jang, 1992;
212 Horikawa et al, 1992). Typically, a fuzzy subset A can be represented as

$$213 \quad A = \left\{ \begin{array}{c} \mu_A(x_1), \mu_A(x_2), \dots, \mu_A(x_n) \\ x_1 \quad x_2 \quad \quad \quad x_n \end{array} \right\}$$

214 Fuzzification is the process of changing a real scalar value into a fuzzy value (Tsoukalas and
215 Uhrig, 1993). This is achieved with the different types of fuzzifiers. In this paper, ~~we adopted~~ the
216 trapezoidal or triangular fuzzifier is adopted. Fuzzification of a real-valued variable is performed
217 with intuition, experience and analysis of the set of rules and conditions associated with the input
218 data variables. There is no fixed set of procedures for fuzzification.

219 3.2 Fuzzy Decision Tree Construction

220 Fuzzy ~~sets-Sets~~ and ~~fuzzy-Fuzzy~~ logic are able to deal with language-related uncertainties by
221 fuzzifying, while providing a symbolic framework for increasing knowledge comprehensibility.
222 Fuzzy ~~decision-Decision trees-Trees~~ (FDT) differ from traditional crisp decision trees in three
223 respects (Janikow, 1998): the splitting of criteria based on fuzzy restrictions, the different
224 inferring procedures and defining the fuzzy-Fuzzy sets-Sets that represent the data. The heuristic
225 for ~~the fuzzy decision tree~~ FDT is based on minimal ambiguity.

226 The procedure for constructing FDT is mainly as follows:

- 227 1. Place all data into one node as the root;
- 228 2. Select one feature with low entropy to divide the cases in the root into different son nodes
229 according to the different feature values;
- 230 3. For each son node, repeat the same action until the node cannot be divided, i.e., leaf.

231 Given that nonleaf node S has n fuzzy features $A^{(1)}, A^{(2)}, \dots, A^{(n)}$ to be selected, for
 232 every k ($1 \leq k \leq n$), fuzzy feature $A^{(k)}$ takes m_k linguistic values as $T_1^{(k)}, T_2^{(k)}, \dots, T_{m_k}^{(k)}$.
 233 $A^{(n+1)}$ represents a class that takes values as $T_1^{(n+1)}, T_2^{(n+1)}, \dots, T_m^{(n+1)}$. In symbolic datasets, the value
 234 of features and classes are 0 or 1. For a better description, ~~we define~~ $|S|$ is defined as representing
 235 the number of examples of the nonleaf node S .

236 The tree grows based on the following computing results. For each value of feature,
 237 $T_i^{(k)}$ ($1 \leq k \leq n, 1 \leq i \leq m_k$), the relative frequency about the j^{th} class $T_i^{(n+1)}$ on nonleaf node S is
 238 defined as $p_{ij}^{(k)} = |S_i \cap S_j| / |S_i|$, in which S_i is the subset of S for which feature $A^{(k)}$ has value
 239 $T_i^{(k)}$ (i.e., $S_i = \{s \in S | A^{(k)} = T_i^{(k)}\}$) and S_j is the subset of S too, for which $A^{(n+1)}$ takes value
 240 $T_j^{(n+1)}$ (i.e., $S_j = \{s \in S | A^{(n+1)} = T_j^{(n+1)}\}$). On nonleaf node S , the classification entropy of $T_i^{(k)}$ is
 241 defined as $Entr_i^{(k)} = - \sum_{j=1}^m |S_i \cap S_j| / |S_i| * \log_2 |S_i \cap S_j| / |S_i|$.

242 The average classification entropy of the k^{th} feature is defined as $E_k = \sum_{i=1}^{m_k} \omega_i Entr_i^{(k)}$, in
 243 which ω_i represents the weight of the i^{th} value $T_i^{(k)}$, $\omega_i = |S_i| / |S|$. Thus, we can summarize to
 244 get the entropy, i.e., $E_k = \sum_{i=1}^{m_k} \frac{|S_i|}{|S|} Entr_i^{(k)}$.

245 FDT aims to find out one feature that can make the average classification entropy the
 246 minimum, i.e., selecting one integer k_0 , so that $E_{k_0} = \text{Min}_{1 \leq k \leq n} E_k$.

247 3.3 Land index selection

248 ~~We are given a~~ data set consisting of L examples are given, called a training set, where each
 249 record contains the value of a decisive feature, Y , and the value of predictive features

250 x_1, x_2, \dots, x_n . The positive integer L is the data size. The decisive feature indicates the class to
 251 which each example belongs, and it is a categorical feature with values coming from an
 252 unordered finite domain. The set of all possible values of the decisive feature is denoted by
 253 $Y = y_1, y_2, \dots, y_m$, where each y_k , $k = 1, 2, \dots, m$, refers to a specified class. The predictive
 254 features are numerical, and their values are described by an n -dimensional vector,
 255 $(f(x_1), f(x_2), \dots, f(x_n))$. The range of the vector, a subset of n -dimensional Euclidean space, is
 256 called the feature space. The j^{th} observation consists of n predictive features and the decisive
 257 feature can be denoted by $(f_j(x_1), f_j(x_2), \dots, f_j(x_n), Y_j)$, $j = 1, 2, \dots, L$. Before introducing the
 258 model, we give out the fundamental concepts according to the following requirements.

259 **3.3.1 Fuzzy Measure Fuzzy Measure**

260 Let $X = x_1, x_2, \dots, x_n$ be a nonempty finite set of features and $P(X)$ be the power set of X . To
 261 further understand the practical meaning of the ~~fuzzy measure~~Fuzzy Measure, the elements in a
 262 universal set X are considered as a set of predictive features. Then, each value of the ~~fuzzy~~
 263 ~~measure~~Fuzzy Measure is assigned to describe the influence of each predictive feature or
 264 combination of them to the objective. The influences of the predictive features to the objective
 265 are dependent due to the nonadditivity of the ~~fuzzy measure~~Fuzzy Measure. If $\mu(X) = 1$, then μ
 266 is said to be regular. The monotonicity and non-negativity of the ~~fuzzy measure~~Fuzzy Measure
 267 are too restrictive to apply for more problems. Thus, the signed ~~fuzzy measure~~Fuzzy Measure,
 268 which is a generalization of the ~~fuzzy measure~~Fuzzy Measure, has been defined (Murofushi et al.,
 269 1994; Grabisch et al., 2000) and adopted.

270 A signed ~~fuzzy measure~~Fuzzy Measure can set its value being negative and free the
 271 monotonicity constraint. Thus, it is more flexible to describe the contribution of the individual
 272 and combination of the predictive features for some targets. Let f be a real-valued function
 273 on X . The fuzzy integral of f with respect to μ is obtained by

$$\int f d\mu = \int_{-\infty}^0 [\mu(F_\alpha) - \mu(X)] d\alpha + \int_0^{\infty} \mu(F_\alpha) d\alpha \quad (1)$$

274 where $F_\alpha = \{x | f(x) \geq \alpha\}$, for any $\alpha \in (-\infty, \infty)$, is called the α -cut of f .

275 | Usually, for calculating the value of the fuzzy integral for the given real-valued function f ,
 276 | the values of f , i.e., $f(x_1), f(x_2), \dots, f(x_n)$, can be sorted in a nondecreasing order so
 277 | that $f(x'_1) \leq f(x'_2) \leq \dots \leq f(x'_n)$, where $(x'_1, x'_2, \dots, x'_n)$ is a certain permutation of (x_1, x_2, \dots, x_n) .
 278 | Thus, the value of the fuzzy integral can be computed by

$$\int f d\mu = \sum_{i=1}^n [f(x'_i) - f(x'_{i-1})] \mu(\{x'_i, x'_{i+1}, \dots, x'_n\}), \text{ where } f(x'_0) = 0 \quad (2)$$

279 | The Fuzzy Integral can deal with nonlinear space based on linear operators.

280 | 3.3.2 Transformation of the Fuzzy Integral

281 | To be convenient, Wang(2003) proposed a new scheme to calculate the value of a fuzzy integral
 282 | by the inner product of two $(2^n - 1)$ -dimension vectors as

$$283 | \int f d\mu = \sum_{j=1}^{2^n-1} z_j \mu_j \quad \text{-----} \quad (3)$$

$$284 | \text{where } z_j = \begin{cases} \min_{i: \text{frc}(\frac{j}{2^i}) \in [\frac{1}{2}, 1)} f(x_i) - \max_{i: \text{frc}(\frac{j}{2^i}) \in [0, \frac{1}{2})} f(x_i), & \text{if it is larger than zero or } j \text{ is } 2^n - 1; \\ 0, & \text{otherwise.} \end{cases} \quad (4)$$

285 | for $j = 1, 2, \dots, 2^n - 1$ with a convention, in which the maximum on the empty set is zero. Here,
 286 | $\text{frc}(\frac{j}{2^i})$ denotes the fractional part of $\frac{j}{2^i}$. In formula (4), if j is expressed in the binary

$$287 | \text{form } j_n j_{n-1} \dots j_1, \text{ then } \left\{ i \mid \text{frc}(\frac{j}{2^i}) \in [\frac{1}{2}, 1) \right\} = \{i \mid j_i = 1\} \text{ and } \left\{ i \mid \text{frc}(\frac{j}{2^i}) \in [0, \frac{1}{2}) \right\} = \{i \mid j_i = 0\}.$$

288 | A significant advantage of this new computation scheme is that it can easily discover the
 289 | coefficient matrix of a system of linear equations with the unknown variables μ . The fuzzy
 290 | integral can be applied to the further applications, such as regression and classification (Wang,
 291 | 2003; Wang et al., 1998; Leung et al., 2002). In those practical applications, values of the signed
 292 | ~~fuzzy measure~~ Fuzzy Measure are to be estimated using the training data sets as unknown
 293 | parameters. The new scheme makes it more convenient by using an algebraic method, such as
 294 | the least square method, to estimate the value of μ and reduce the complexity of computation.

295 After adopting the transformation, the ~~fuzzy-measure~~Fuzzy Measure for a known dataset can
296 be obtained by using L1-norm regularization.

297 3.3.3 Solution of ~~Fuzzy Measure~~Fuzzy Measure

298 For determining the ~~fuzzy-measure~~Fuzzy Measure, researchers have proposed many methods. In
299 our past work, ~~we used~~GA was used to learn the value of the ~~fuzzy-measure~~Fuzzy Measure. In
300 this article, ~~we adopted~~a new method was adopted based on L1-norm regularization.

301 For solving regression problems, the least square estimation is the most popular function,
302 alternately referred to as the minimum of the residual sum of squared errors (RSS)(Hastie et al.,

303 2001): $RSS = \sum_{i=1}^n (y_i - \omega_0 - \sum_{j=1}^p x_{ij}\omega_j)^2$. Regularization addresses the numerical instability of the

304 matrix inversion and produces lower variance models. It is obvious that the following penalized

305 RSS function with respect to ω and ω_0 : $\sum_{i=1}^n (y_i - \omega_0 - \sum_{j=1}^p x_{ij}\omega_j)^2 + \lambda \sum_{j=1}^p \omega_j^2$. This is belonged

306 to L2 regularization. For simplifying the notation, ~~we-it can be~~ transferred ~~it~~ to the following
307 form (in matrix notation): $\|X\omega - y\|_2^2 + \lambda\|\omega\|_2^2$. Although L2 regularization is an effective means of

308 achieving numerical stability and increasing predictive performance, it cannot address another

309 important problem with least squares estimation, i.e., parsimony of the model and interpretability

310 of the coefficient values. It does not encourage sparsity in some cases (Tibshirani, 1996). Thus,

311 L1-norm has been a trend to replace the L2-norm with an. The L1 regularization has many of the

312 same beneficial properties as L2 regularization; meanwhile, it can obtain a sparse solution, which

313 is more easily interpreted (Hastie et al., 2001) and is what our model needs. With a fuzzy integral,

314 determining the ~~fuzzy-measure~~Fuzzy Measure is the key point. The ~~fuzzy-measure~~Fuzzy

315 Measure represents the importance of features and the interaction degree of the combined

316 features.

317 We hope to get a solution of the ~~fuzzy-measure~~Fuzzy Measure with the fewest nonzero values

318 corresponding to the most important features and feature combinations. Using L1-norm

319 regularization, ~~we can minimize~~the following formula can be minimized to reduce the number

320 of nonzeros in the ~~fuzzy measure~~Fuzzy Measure: $\left\| \sum_{j=1}^{2^n-1} z_j \mu_j - y \right\|_2^2 + \lambda \|\mu\|_1$. ~~We can control~~The
 321 compression degree for the ~~fuzzy measure~~Fuzzy Measure can be controlled by adjusting the
 322 parameter λ . Shirish and Sathiya(2003) proposed the least absolute selection and shrinkage
 323 operator (LASSO) model, which is based on the Gauss-Seidel method. The obvious advantages
 324 of the Gauss-Seidel approach are simplicity and low iteration cost. ~~We adopted this~~This type of
 325 LASSO was adopted to solve the L1-Norm problem. Finally, the optimal ~~fuzzy measure~~Fuzzy
 326 Measure can be obtained and the corresponding land index system is constructed. For example,
 327 the ~~fuzzy measure~~Fuzzy Measure is solved as $\{0, 0.6, 0, 0, 0, 0.4, 0\}$ for three indexes $\{x_1, x_2, x_3\}$.
 328 Then, indexes or index combinations corresponding to non-zero are $\{x_2\}$ and $\{x_2, x_3\}$, which will
 329 be important for the final decision.

330 **4 Experiments and analysis**

331 Before building the evaluation model, we need ~~finish~~ the feature selection to reduce the
 332 complexity of computation by deleting the redundant information. ~~We adopt the~~ WEKA exploit
 333 platform was adopted to call the feature selection function and develop the evaluation model.
 334 After completing the feature selection, the FDT is constructed on the pre-processed data for
 335 evaluating the comprehensive potential. The data ~~from of~~ the Shunde project contains 477 blocks,
 336 27 of which have completed reformation and can be used as the training set.

337 The model construction can be presented as shown in ~~Figure~~Fig. 4.

338 After applying the L1-norm method to determine the ~~fuzzy measure~~Fuzzy Measure, the
 339 parameter λ in the L1-Norm method is used for controlling the degree of compression for
 340 reducing the nonzeros. ~~We set~~The value of λ was set as 0, 1, 5, 10, 20, 50 and 100. The larger
 341 the value of λ is, the fewer the number of zeroes in the solution. The compressed ~~fuzzy~~
 342 ~~measure~~Fuzzy Measure can simplify the computation of the fuzzy integral at the cost of
 343 performance. It needs to select an appropriate value for λ to balance the complexity and the
 344 performance. Finally, the value of λ is determined as 100. The binary forms corresponding to the
 345 ~~fuzzy measure~~Fuzzy Measure with values are $\{10000000\}$ and $\{1111100\}$ after being
 346 compressed by the L1-Norm, which means keeping indexes from x_1 to x_5 . All results with
 347 different feature selection methods are listed in Table 3. The final land index system in new

348 | model includes public welfares, per capital net income, air pollution, population density and
349 | water pollution.We can see that the size of the tree is compressed as the number of features is
350 | decreased and the performance is improved.

351 | Based on those selected indexes, an evaluation model will be constructed. In this project,
352 | those blocks that have been finished and those that are ongoing with transformation present their
353 | actual potential and are used as a training set. The remainder, which contains those that have not
354 | yet been started, are tested via comparison with the conclusions that have been drawn from these
355 | statistics and this analysis. All artificial marks are removed from the original data. The final
356 | dataset contains 27 predictive features and 3 levels of potential. Level one means the highest
357 | potential, level 2 represents the medium type, and level 3 is the worst grade for transformation.
358 | All results are listed in table 4 to show the situation of the predicted potential of each town.

359 | Assuming that the potential marked by experience is the destination classification, the
360 | prediction results of the fuzzy decision tree, which is 89.12%, shows high consistency with the
361 | artificial remarks and the actual land situation of Shunde's 'Three Old' project. There is no
362 | block with level 1. It illustrates that there are no very old and battered buildings in the Shunde
363 | district. In all blocks, levels 2 and 3 exist. Those blocks in the second ranking are characteristic
364 | of an effective land-use rate and modest volume rate. However, due to the bad living
365 | environment and the ordinary location, the price will not increase greatly. The third level blocks
366 | present reasonable volume rate and buildings density and good environmental quality. Some
367 | basic facilities need to be improved, so the transformation potential is not so high. Longjiang,
368 | Lecong and Ronggui are arranged as the top three towns according to the ratio of level 2, which
369 | are key targets that need to be transformed.

370 |

371 | **5 Conclusions**

372 | To date the 'Three Old' transformation project is just beginning to be developed in Guangdong,
373 | China. Study on the 'Three Old' project is very useful for the land consolidation field. However,
374 | research related to the potential of transformation is sparse. Traditional evaluation of land for
375 | potential consolidation mostly depended on statistical methods and experts' experiences. In this
376 | article, a soft computing method---the fuzzy decision tree--is induced to evaluate the potential of
377 | blocks for transformation. The results are more scientific, explicable and intelligent. The

378 assessment of potential as presented by FDT has reinforced the conclusions drawn using
379 traditional methods. This study can provide supplementary support for decision making.

380 | The ‘Three Old’ transformation is a type of policy problem that is affected by human factors.
381 | We need to find better methods to avoid subjectivity. Meanwhile, there are too many indexes for
382 | each land project. Some provide noisy information, which is not good for model construction and
383 | a final assessment. Thus, index screening is an essential part of land consolidation. Due to the
384 | great number of indexes, the computational complexity of determining a ~~fuzzy measure~~Fuzzy
385 | Measure is very high. It is difficult to find each value of the ~~fuzzy measure~~Fuzzy Measure. In
386 | this paper, ~~we used~~ the L1-norm method was used to solve the problem of complexity. The ~~fuzzy~~
387 | ~~measure~~Fuzzy Measure with the fewest nonzero values can be obtained by using L1-norm
388 | regularization. Experimental results have shown that the selection of indexes can help reduce the
389 | complexity and improve performance. Selecting one optimal value of parameter λ can maintain
390 | a balance between complexity and performance. The values of the ~~fuzzy measure~~Fuzzy Measure
391 | describe the interaction of indexes with respect to contribution for decision making. After
392 | selecting the indexes, ~~we built~~ a fuzzy intelligent system was built based on a fuzzy decision tree
393 | for land potential evaluation; this system can be used to divide the consolidated blocks into
394 | different levels to facilitate decision making. This system can greatly help those making
395 | decisions on how to push farmland reformation.

396 **Acknowledgments**

397 This research is supported by the National Natural Science Foundation of China (No. 61202295)
398 and the Ministry of Key Projects in the National Science & Technology Pillar Program during
399 the Twelfth Five-year Plan Period (No. 2013BAJ13B05).

400 **References**

401 Thomas, J.: What’s on regarding land consolidation in Europe? in: Proceedings of the XXIII International
402 FIG Congress, Munich, Germany, 8–13, 2006.

403 Connolly, J., and Holden, N. M.: Classification of peatland disturbance. *Land Degradation &*
404 *Development*, 24, 6, 548–555, 2013.

405 Alphan, H.: Classifying land cover conversions in coastal wetlands in the Mediterranean: Pairwise
406 comparisons of Landsat images. *Land Degradation & Development*, 23: 278-292, 2012.

407 Li, X. L., Perry, G. L. W., Brierley, G., Sun, H. Q., Li, C. H., and Lu, G. X.: Quantitative assessment of
408 degradation classifications for degraded alpine meadows (heitutan), Sanjiangyuan, western China. *Land
409 Degradation & Development*. 25(5), 417-427, 2014.

410 Setia, R., Lewis, M., Marschner, P., Raja Segaran, R., Summers, D. and Chittleborough, D.: Severity of
411 salinity accurately detected and classified on a paddock scale with high resolution multispectral satellite
412 imagery. *Land Degradation & Development*, 24, 375- 384, 2013.

413 Holleran, M., Levi, M., and Rasmussen, C.: Quantifying soil and critical zone variability in a forested
414 catchment through digital soil mapping. *SOIL*, 1, 47-64, 2015.

415 Liu, X. Y., Liang, T. G., Guo, Z. G. and Long, R. J.: A rangeland management pattern based on
416 functional classification in the northern Tibetan region of china. *Land Degradation and Development*,
417 25(2), 193-201, 2014.

418 Brevik, E. C., Cerdà A., Mataix-Solera, J., Pereg, L., Quinton, J. N., Six, J. and Van Oost, K.: The
419 interdisciplinary nature of SOIL. *SOIL*, 1, 117-129, 2015.

420 Blaikie, P.M., Sadeque, A.Z.: Policy in the High Himalayas: Environment and Development in the
421 Himalayan Region. ICIMOD, Kathmandu, 2000.

422 Niroula, G.S., Thapa, G.B.: Impact of land fragmentation on input use, crop yield and production
423 efficiency in the mountains of Nepal, *Land Degradation and Development*, 18, 237–248, 2007.

424 Sklenicka, P.: Applying evaluation criteria for the land consolidation effect to three contrasting study
425 areas in the Czech Republic, *Land Use Policy*, 23 (4), 502-510, 2006.

426 TUIK, Tarm Saym Sonuclar (in Turkish) <tuik.gov.tr>, 2001.

427 Sonnenberg, J.: The European Dimensions and Land Management-Policy Issues (Land readjustment and
428 land consolidation as tools for development), FIG Commission 7, Hungary. 1996.

429 Thomas, J.: Actual trends concerning land management, land readjustment and land consolidation in
430 Europe, in: Report at the 7th Workshop and 8th MC Meeting of the Action G9 of COST, Greece, 2005.

431 Thomas, J.: Property rights, land fragmentation and the emerging structure of agriculture in Central and
432 Eastern European countries, *Electronic Journal of Agricultural and Development Economics Food and
433 Agriculture Organization*, 3, 225–275, 2006.

434 Tayfun Cay, Fatih Iscan: Fuzzy expert system for land reallocation in land consolidation, Expert Systems
435 with Applications, 38(9), 11055–11071, 2011.

436 Saaty, T. L.: Peniwati, Kirti: Group Decision Making: Drawing out and Reconciling Differences,
437 Pittsburgh, Pennsylvania, RWS Publications, 2008.

438 Saaty, T. L.: Mathematical Principles of Decision Making, Pittsburgh, Pennsylvania, RWS Publications,
439 2010.

440 Sugeno, M.: Theory of Fuzzy Integrals and Its Applications, Doctoral Thesis, Tokyo Institute of
441 Technology, 1974.

442 Murofushi, T., Sugeno, M., Machida, M.: Non monotonic ~~Fuzzy Measure~~Fuzzy Measures and the
443 Choquet integral, Fuzzy Sets and Systems, 64, 73-86, 1994.

444 Grabisch, M., Murofushi, T., Sugeno, M. (editors): ~~Fuzzy Measure~~Fuzzy Measures and Integrals: Theory
445 and Applications, Physica-Verlag, 2000.

446 Wang Z.: A new genetic algorithm for nonlinear multiregressions based on generalized Choquet integrals,
447 in: Proc. 12th IEEE Intern. Conf. Fuzzy Systems, 2, 819-821, 2003.

448 Wang, W., Wang, Z.Y., Klir, G.J.: Genetic Algorithm for Determining ~~Fuzzy Measure~~Fuzzy Measures
449 from Data, Journal of Intelligent and Fuzzy Systems, 6, 171-183, 1998.

450 Leung K. S., Wong M. L., Lam W., Wang Z. and Xu K.: Learning nonlinear multiregression networks
451 based on evolutionary computation, IEEE Trans. on Systems, Man and Cybernetics, Part B, 32(5), 630-
452 644, 2002.

453 Hastie, T., Tibshirani, R. and Friedman, J.H.: The Elements of Statistical Learning. Spring, 2001.

454 Tibshirani, R.: Regression shrinkage and selection via the lasso, J. R. Statist. Soc. B 58, 267–288, 1996.

455 Shirish Krishnaj Shevade and Sathiya Keerthi S.: A simple and efficient algorithm for gene selection
456 using sparse logistic regression, Bioinformatics, 19(17), 2246–2253, 2003.

457 Zadeh, L.: Fuzzy sets, Information and Control, 8, 338–353, 1965.

458 Wang Tien-Chin and Lee Hsien-Da: Constructing a Fuzzy Decision Tree by Integrating Fuzzy Sets and
459 Entropy, WSEAS Transactions on Information Science and Applications, 8(3), 1547-1552, 2006.

460 Zimmermann, H. J.: Fuzzy Set Theory and Its Applications, Kluwer Academic Publishers, 1991.

461 Jang, J.S. R.: Self-Learning Fuzzy Controllers Based on Temporal Back-Propagation, IEEE Trans. On
462 Neural Network, 3, 714-723, 1992.

463 Horikowa, S., Furahashi, T. and Uchikawa, Y.: On Fuzzy Modeling Using Fuzzy Neural Networks with
464 Back-Propagation Algorithm, IEEE Trans. on Neural Networks, 3, 801-806, 1992.

465 Tsoukalas, L. H., Uhrig, R. E.: Fuzzy and Neural Approaches in Engineering, John Wiley & Sons, Inc.,
466 1993.

467 Janikow, C. Z.: Fuzzy Decision Trees: Issues and Methods, IEEE Trans. on Systems, Man, and
468 Cybernetics-Part B, 28(1), pp.1-14. 1998.

469 [Pawlak, Zdzisław \(1982\). "Rough sets". International Journal of Parallel Programming 11 \(5\):](#)
470 [341-356.](#)

471 [Pawlak, Zdzisław\(1991\). Rough Sets: Theoretical Aspects of Reasoning About Data. Dordrecht:](#)
472 [Kluwer Academic Publishing.](#)

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488 **Table 1. [The types and area\(unit: acre\) of "Three Old" reconstruction](#)~~Statistical Data about the Types~~
489 ~~and Area of 'Three-Old' Reconstruction~~**

State	Old factory	Old town	Old villages	In total
finished	4437.91	568.27	44.68	5050.86
On-going	4196.71	354.35	563.51	5114.57
Not starting	49634.37	9074.25	8425.73	67134.35
In total	58268.99	9996.86	9033.92	77299.77

490

491

492 | **Table 2. The results with rough set selection and Fuzzy Measure selection.All Indexes of ‘Three Old’**

493

Land

Criteria layer	Subcriteria layer	Evaluation indexes
Land-use (A)	Landscapes	Building coordination
		Block crush degree
	Building situation	Building age
		Building structure
	Development strength	Volume ratio
		changing of building density
Economical factors (B)	Basic land price	Basic land price
	Investment strength	changing degree of investment amount
	Per capita net income	Per capita net income
	Population density	Population density
Social factors (C)	Social welfare	Medical and sanity
		Education
	Basic facilities	Public welfares (park, square)
		Traffic connectivity
Ecological factors (D)	Ecological environment	Green degree
		Noisy pollution
		Air pollution
Policy (E)	Compensation and emplacement	Water pollution
		Compensation
	Responding Management	Emplacement
		Responding activity
		Public participation

494

495

496

Table 3. The Results with Rough Set Selection and Fuzzy Measure Fuzzy Measure Selection


Types Performance	All features	with RS selection	with FM selection
Prediction accuracy	89.12%	93.06%	94.34%
Selected features	all	{4,6,8,9,10,11,15}	{4,6,8,9,10}
Number of leaves	10	7	4
Size of tree	19	13	7

497
498
499
500
501

*Note: Selected features: all indexes, indexes selected by rough set and indexes selected by Fuzzy Measure.
Prediction accuracy: the accuracy using different indexes group.
Number of leaves: the leaves of decision tree is
Size of tree: the number of all nodes in decision tree*

Table 4. The Potential Level of Each Town


District	Number of Blocks	Level 1	Level 2	Level 3	Ratio of Level 2
Daliang	55	0	8	47	14.55
London	55	0	7	48	12.73
Ronggui	59	0	13	46	22
Leliu	44	0	7	37	15.9
Lecong	62	0	14	48	22.58
Junan	11	0	2	9	18.18
Longjiang	99	0	27	72	27.27
Beijiao	25	0	3	22	12
Chencun	15	0	3	12	20
Xingtian	26	0	2	24	7.69



502

503

Figure Fig. 1 The administrative division of the 'Three Old' project of Shunde




504

505 **FigureFig. 2** The proportion of land, according to construction type, that will be developed by ‘Three

506


Old’ reconstruction



507

508 **FigureFig. 3** The percentages of each state of reconstruction

509



510

511

512 **FigureFig. 4** Flowchart of the model construction

513