Solid Earth Discuss., https://doi.org/10.5194/se-2019-40-RC2, 2019 © Author(s) 2019. This work is distributed under the Creative Commons Attribution 4.0 License.



SED

Interactive comment

Interactive comment on "Joint analysis of the magnetic field and Total Gradient Intensity in Central Europe" by Maurizio Milano et al.

Jörg Ebbing (Referee)

joerg.ebbing@ifg.uni-kiel.de

Received and published: 15 April 2019

I generally like the paper and consider this study of broad interest as its addresses a controversy in the geomagnetic community. I suggest a few small changes to broaden its appeal as the authors sometime get lost in the (geological) details, but from the introduction I would have expected a more detailed discussion of the pros and cons of aeromagnetic and satellite models for study this region.

page 4, line 7: no ending for sentence

page 4, line 4: KTB was not a deep seismic profile. These were the DEKORP profiles. KTB was the deep drilling for which as well seimsic studies have been carried out.

page 4, line 20: Korja & Heikkinnen , 2005: This is a study on the deep (Svecofennian)



Discussion paper



part of Europe, not the shallow one as stated here.

Figure 3: I would suggest to delete the decimal points and to use an even spaced colour scale.

page 8, line 20ff: Could you please add the depths at which the sources are placed.

page 9, line 16: At which depth are the 19 sources placed? And is the regional field a consequence of the orientation of the inducing field or how does t relate to the sources?

page 11, line 9: Maybe show an intermediate model with constant magnetisation to demonstrate the effect of geometry only

Section 5.1-5.3 I find this discussion to be a bit odd and lengthy. Your main discussion was the origin of the magnetic anomaly over the TESZ, so why here you add a very detailed discussion of (all) European anomalies? I think this part could be shorten for clarity and to increase the appeal of the paper for its readers.

page 20, line 20: What about differences between EMMP and MF7? I miss a more detailed discussion how the source geometry results in the field and a specific discussion of the spectral content of MF7 vs. EMMP. I think a lot of people use MF7 and here you could demonstrate its pros and cons in interpretation a large scale anomaly as observed in central Europe. I would prefer such a discussion in comparison to the discussion of local anomalies in the text.

Page 20, line 25: data are available from GETECH, not near GETECH

Interactive comment on Solid Earth Discuss., https://doi.org/10.5194/se-2019-40, 2019.

SED

Interactive comment

Printer-friendly version

Discussion paper

