

Our responses are in red with new manuscript text in bold italics.

General Comments:

The manuscript of Bogdan Grecu and co-authors examines the effect of COVID-19 lockdown measures on seismic noise recorded by the Romanian Seismic Network.

I have to note that quite similar observations of seismic noise reductions were recently documented by a considerable number of studies on this topic.

However, in my opinion, a “country scale” analysis, like the current one, and the corresponding observations regarding the changes of seismic noise levels in relation to the Romanian measures against COVID-19, deserve to be published. I congratulate the authors for the significant volume of data analyzed.

I recommend the manuscript for publication in Solid Earth’s special issue on “Social Seismology and the effect of COVID19 lockdown measures on seismology”, after making the following suggested adjustments.

We thank the reviewer for his/her careful review and positive comments.

Main Comment:

My most significant comment concerns the “earthquake detection capability” part of the manuscript. In the abstract, the authors state that in the framework of their current analysis, they show that noise reduction during the lockdown has also improved the earthquake detection capability of the accelerometers located in noisy urban environments.

However, a potential reader of the manuscript must reach the last four lines of the “Discussion Section”, before he can get some information about this topic.

Besides that, the discussion/information which is provided about the “pre-lockdown” and “post-lockdown” earthquakes, is quite limited to adequately support a reliable conclusion regarding the “improvement in earthquake detection capability”.

What are the exact origin times of the two earthquakes (day of the week and local time of occurrence)? Only the dates are provided.

We added the origin time in the Figure 13’s caption. In case of the first earthquake (2017-08-03) the origin time is 13:13:16 (local time) while for the second event (2020-04-18) the origin time is 19:17:03 (local time)

Assuming that the search I have made is proper, the “pre-lockdown” earthquake occurred on Thursday, 2017-08-03 13:13 (local time), while the “post-lockdown” earthquake on Saturday, 2020-04-18 19:17 (local time). In case that the above-mentioned origin times are correct, I believe that such a comparison is not quite fair and it possibly leads to misleading conclusions.

If the authors agree, I would recommend perhaps to totally exclude the part of “earthquake detection capability” from the manuscript, considering also that the structure of the paper will be slightly affected in such case.

Although we agree to some extent with the reviewer's comments, pointing that it is difficult to draw a general conclusion about the detection capability of seismic stations in cities based on the observations from only two earthquakes, we would like, however, to keep the "earthquake detection capability" analysis part within the Discussion section. We do believe that the seismic event of 18 April 2020 was clearly (with low SNR) recorded due to the seismic noise reduction during the lockdown. To support our statement, we provide the 24-hour clock plots for the two stations mentioned in the Discussion section and shown in Fig. 13. Plots for both stations show the reduction of the noise during the lockdown for weekdays and weekends. We consider that these noise level drops lead to an overall higher detection capability and the time of the event occurrence (13:13 and 19:17 local time) most likely have only a second order effect as being less significant. This characteristic was also outlined by other studies (Lecocq et al., 2019 - <https://doi.org/10.1126/science.abd243>; Pérez-Campos et al. - <https://doi.org/10.5194/se-12-1411-2021>, 2021.)




Figure 3. The effect of lockdown on 24-hour clock plot representations at stations BUC (top) and GISR (bottom).

To take into account reviewer's comment we removed from the abstract sentence referring to "earthquake detection capability" and modified the corresponding sentence of the Conclusions

to: "Our results finally reveal that noise reduction caused by the measures taken to mitigate the COVID-19 pandemic may indicate a potential improvement in the earthquake detection capability of the accelerometers located in noisy urban environments".

Specific Comments:

Abstract

L09: "March 2019" → "March 2020"

Done

L12-13: "containing 148 stations" → I would recommend using the phrase "consisting of 148 stations".

Done

L14: To be more precise, the reduced human activity is mostly due to the lockdown measures and not due to COVID-19 in general. I would suggest rephrasing that part accordingly. For example, "...in Romania due to COVID-19" → "...due to the Romanian measures against COVID-19".

Done

L15: "corresponds to" → "correspond to"

Done

L18: "In the lower frequency range (2-8 Hz and 4-14 Hz) the variability of the noise reduction among the stations is lower than in the high frequency range, and the noise level is reduced by up to 35%.". I find this sentence a bit confusing, especially in the context of an abstract. Could you please clarify and maybe rephrase it? In addition, no information about the percentage reduction observed at higher frequencies (15-40 Hz) is provided.

We consider that the sentence is not unclear if taken in full context, as noted below. Within the abstract we provided the level drops for the both low and high frequency ranges (2-14Hz and 15-40Hz). However, to acknowledge the comment, we made an attempt to re-formulate the last part of the corresponding sentence. We hope that the modified version is more clear and easier to follow.

"We focused our investigation on four frequency bands - 2-8 Hz, 4-14 Hz, 15-25 Hz and 25-40 Hz and found that the largest reductions in seismic noise associated with the lockdown corresponds to the high frequency range of 15 - 40 Hz. We found that all the stations with large reductions in seismic noise (> ~40%) are located inside and near schools or in buildings, indicating that at these frequencies the drop is related to the drastic reduction of human activity in these edificies. In the lower frequency range (2-8 Hz and 4-14 Hz) the variability of the noise reduction among the stations is lower than in the high frequency range, corresponding to about 35% on average."

1 Introduction

L46: "The study analyzed noise data..." → I would recommend rephrasing this part. E.g., "In the latter study, seismic noise data were analyzed..."

We changed the text to: *"In this study, seismic noise data from more than 300 stations distributed worldwide were analyzed and the results pointed out ..."*

L47: "are responsible" → I would recommend writing "were responsible"

Done

L49: "..., the first official case in the country being reported on..." → "..., with the first official case being reported on..."

Done

L57: "all movement was" → I would recommend writing "all movements were"

Done

2 Data and method

L75: "within the medium to large urban areas" → "within medium to large urban areas"

Done

L88: " DRMS" → Please remove the " ' ".

Done

L84-86: "We choose the above frequency intervals taking into account different contributions that the anthropogenic noise sources have in a wide frequency range, starting from 0.02 Hz up to 40 Hz (Sheen et al., 2009; Boese et al., 2015; Diaz et al., 2017)."

This sentence could raise some potential questions. For example, why low frequency seismic noise (< 1 Hz) was not included in the analysis?

The actual reason due to which the frequency analysis was limited up to 40 Hz, is that the frequency content of the anthropogenic noise is strictly limited up to such frequencies? Does the choice of the specific frequency range depend on the sampling rate of the data? It would be good to include some extra comments about your choice of concentrating on the specific frequency bands (2-8 Hz, 4-14 Hz, 15-25 Hz and 25-40 Hz).

As replied to Reviewer 1 (comment 1), we did investigate the variation of seismic noise in the 0.5-1 Hz frequency band for the seismic stations equipped with broadband velocity sensors as well. In this low frequency band we observed only seasonal variations of the noise and no changes related to Covid-19 restrictions. The upper frequency limit of 40 Hz was chosen based on the examples from the literature.. In addition, we took into account that the sampling

rate of the data is 100 Hz, which limits the frequency analysis band to 50 Hz. We also included some arguments related to the considered frequency ranges in the Discussions section.

To take into account the reviewer's comment we added to the text the reviewer is referring to “... - *more details in the Discussions section*). In addition, in order to avoid the seasonal variations of seismic noise at low frequencies (0.1-1 Hz), we chose to perform our analyses starting from 2 Hz. The upper limit of 40 Hz was adopted following the numerous example of previous studies (e.g., Groos and Ritter, 2009; Diaz et al., 2017).”

3 Results

3.1 General overview

L99: “computed the median of the noise DRMS”: The temporal variations of DRMS presented in the totality of the manuscript’s figures, is superimposed with the temporal variation of the median DRMS during working hours (6h-16h). Did the computation of the median DRMS values computed for the two 30-days long time intervals follow the same approach? This should be clear in the manuscript.

Yes, the median DRMS values are computed for the two 30-days long time intervals following the same approach. We modified the text accordingly: “... *computed the median of the noise DRMS during working hours (6h-16h) for two 30 day intervals,...*”.

L98-100: “we computed the median...”, ...“We compute the percentage...”: I would suggest not shifting tenses between sentences.

Done. We chose the past tense “We computed the percentage”

L101-103: “For each site, we represented a circle colored according to the maximum percentage of the noise reduction in each band and sized as a function of the number of inhabitants in the area”: I would suggest not including so much details about the color coding or the symbol size of the plots in the main text. I would just refer to the overall content of Figure 2 (e.g., percentage change of the median DRMS for each frequency band).

We moved the sentence “*For each site, we represented a circle colored according to the maximum percentage of the noise reduction in each band and sized as a function of the number of inhabitants in the area*” to Figure 2’s caption.

L106: “10000 inhabitants” : I would recommend keeping the same number formatting with or without a thousand separator throughout the manuscript.

Done. We chose the number formatting with a thousand separator “10,000”

L113: “Large values” → I would recommend writing “Large seismic noise drops”

Done.

L144: “... the noise reduction is obvious...” → I would recommend writing “... the noise reduction is evident...”

Done.

L146: "The lowest level of the noise..." → I would recommend writing "The lowest noise level..."

Done.

3.2 Station in cities

L148: "Station in cities" → "Stations in cities"

Done.

3.2.1 Free field-stations

L151: "Free field-stations" → "Free-field stations"

Done.

L156: "was uniformly imposed at the national level" → "was uniformly imposed at a national level"

Done.

L158: "...for the station..." → "...for the stations..."

Done.

L162: "The station is close to the two main boulevards..." → "The station is close to two main boulevards..."

Done.

L163-164: "The noise at this site is very high and is generated by all of these sources.": I would remove this sentence.

Done.

L168: "The 24-hour clock plots in Figure 4b...": The specific plots are labeled as 4c in Figure 4. I would also suggest including a general reference to Figure 4 describing its overall content in this paragraph.

We added in the text "*Figure 4 shows the lockdown effects on seismic noise at station BSTR.*" We also changed "the 24-hour clock plots in Figure 4b" to "...Figure 4c, d" and referenced Figure 4b once again in the text at line 174 "...of 27% observed in Band 4 (Figure 4b).".

L170-171: "The restriction of night activities during the lockdown is responsible for reduction of the noise level observed during the night hours before lockdown": This sentence is not perfectly clear to me.

We changed the sentence to: "*The lockdown resulted in the restriction of the night-time activities, which led to a reduction in seismic noise compared to that observed before.*"

L176: "During the weekend..." → "During the weekends..."

Done.

L180: "... the higher interval between trains." → Consider replacing the word "higher". E.g., "the longer inter-train intervals."

Done. We accepted the suggestion.

L183: "..., one close college..." → "a nearby college"

Done.

L187-178: "The shopping centers were reopened to the public in mid-June 2020 and this moment increased the noise observed in July." Please consider rephrasing this sentence.

We rephrased the sentence to: "*The increase of seismic noise observed in July 2020 is linked to the reopening of the shopping centers starting from mid-June 2020.*"

L188-190: "After the quarantine law, the noise level decreased and increased again to reach its maximum after the lockdown, when the schools were reopened in September 2020": The same for this sentence also. Please consider rephrasing it. Consider maybe splitting this part into two separated sentences.

We modified the phrase to: "*After the quarantine law, a slight decrease in seismic noise is observed. The noise level grew again reaching its maximum after the lockdown, when the schools were reopened in September 2020.*"

L191: Is station CTISU considered as a free-field station? It is installed in the IES's building. If yes, this part should be moved to another section.

In section 3.2.3, we took into account only the stations that are used for the structural health monitoring of the buildings in which they are deployed. Although station CTISU is installed in the basement of a one-storey IES's building, we considered it a free-field station as it is used only for seismic monitoring.

3.2.2 Stations in schools

L211: "... located in kindergarten in Bucharest..." → "... located in a kindergarten in Bucharest..."

Done.

L213-214: "The noise level reaches the level observed during the 2019 religious (Easter and Christmas), summer and winter holidays.": Easter, Christmas and other holidays are discussed in the text but they are not labeled in Figure 7. Please consider labeling the previously mentioned holidays, as you did in Figure 3, for example.

Done. We added the missing labels (Easter, Christmas) in Figure 7.

L220: "Figure 7b highlights...": The specific plots are labeled as 7c in Figure 7.

Done. Changed to 7c

3.2.3 Stations in buildings used for structural monitoring

L235: “headquarter” →“headquarters”

Done.

L281-290: No station ID(s) is/are mentioned in this paragraph. Please include somewhere in this paragraph the station IDs you are referring to (TURN2, TURN3).

At the beginning of the section 3.2.3, we mentioned in the text “... 3 accelerometers installed at the basement (TURN1), 6th floor (TURN2) and 10th floor (TURN3, see Tiganescu et al., 2019; 2020)”. However, to make reading easier we added the station IDs at the beginning of the paragraph “... *IAP building only at the stations deployed on the 6th (TURN2) and 10th floor (TURN 3) ...*”

L285-286: Easter, Christmas and other holidays are discussed in the text but they are not labeled in Figure 11. Please consider labeling the previously mentioned holidays, as you did in Figure 3, for example.

Done. We added the missing labels (Easter, Christmas) in Figure 11.

5 Conclusions

L407: This section should be numbered as 5.

Done.

L410: “noise reduction is more important” →“noise reduction is more significant”

Done.

L418: “The level of noise” →“The seismic noise level”

Done.